

Spiders

List of species recorded at Cromwell Bottom

Checklist of British spiders

NOTES:

Click on the species name for national and regional status (permission granted from the British Arachnological Society. – [Spider Recording Scheme](#)).

Any previous names are shown after the authority. The species count at Cromwell Bottom is currently 84.

Any specimens that required confirmation were checked and confirmed by the late Clifford Smith, the late John Parker, Mike Roberts, the late Jennifer Newton and Stan Dobson with apologies for any omissions.

All those listed below have been recorded prior to 2004

Mimetidae

Ero cambridgei Kulczynski, 1911

Theridiidae

Theridion sisyphium (Clerck, 1757)

Theridion mystaceum L.Koch, 1870

Enoplognatha ovata (Clerck, 1757) *Theridion ovatum*

Pholcomma gibbum (Westring, 1851)

Linyphiidae

Walckenaeria unicornis O.P.-Cambridge, 1861 *Cornicularia unicornis*

Walckenaeria vigilax (Blackwall, 1853) *Cornicularia vigilax*

Dicymbium nigrum (Blackwall, 1834)

Gnathonarium dentatum (Wider, 1834)

Gongylidium rufipes (Linnaeus, 1758)

Dismodicus bifrons (Blackwall, 1841)

Hypomma bituberculatum (Wider, 1834)

Baryphyma trifrons (O.P.-Cambridge, 1863) *Minyrioloides trifrons*
Pocadicnemis pumila (Blackwall, 1841)
Pocadicnemis juncea Locket & Millidge, 1953 *P. pumila* var. *juncea*
Oedothorax fuscus (Blackwall, 1834)
Oedothorax agrestis (Blackwall, 1853)
Oedothorax retusus (Westring, 1851)
Monocephalus fuscipes (Blackwall, 1836)
Lophomma punctatum (Blackwall, 1841)
Savignia frontata Blackwall, 1833
Diplocephalus picinus (Blackwall, 1841)
Araeuncus humilis (Blackwall, 1841)
Erigone atra Blackwall, 1833
Leptorhoptrum robustum (Westring, 1851)
*Drepanotylus uncatu*s (O.P.-Cambridge, 1873)
Aphileta misera (O.P.-Cambridge, 1882) *Hillhousia misera*
Porrhomma pygmaeum (Blackwall, 1834)
Agyneta decora (O.P.-Cambridge, 1871)
Agyneta cauta (O.P.-Cambridge, 1902)
Agyneta olivacea (Emerton, 1882)
Meioneta saxatilis sens. str. (Blackwall, 1844)
Microneta viaria (Blackwall, 1841)
Centromerita bicolor (Blackwall, 1833)
Centromerita concinna (Thorell, 1875)
Bathyphantes approximatus (O.P.-Cambridge, 1871)
Bathyphantes gracilis (Blackwall, 1841)
Bathyphantes nigrinus (Westring, 1851)
Diplostyla concolor (Wider, 1834) *Bathyphantes concolor*
Drapetisca socialis (Sundevall, 1833)
Lepthyphantes tenuis (Blackwall, 1852)
Lepthyphantes zimmermanni Bertkau, 1890
Lepthyphantes mengei Kulczynski, 1887
Lepthyphantes ericaeus (Blackwall, 1853)
Helophora insignis (Blackwall, 1841)
Linyphia triangularis (Clerck, 1757)
Neriene montana (Clerck, 1757) *Linyphia Montana*
Neriene clathrata Sundevall, 1830 *Linyphia clathrata*
Neriene peltata Wider, 1834 *Linyphia peltata*

Tetragnathidae

Pachygnatha clercki Sundevall, 1823

Pachygnatha degeeri Sundevall, 1830

Metellina segmentata sens. str. (Clerck, 1757) *Meta segmentata*

Metellina mengei (Blackwall, 1869) *Meta segmentata mengei* & *Meta mengei*

Meta menardi (Latreille, 1804)

Araneidae

Araneus diadematus Clerck, 1757

Araneus quadratus Clerck, 1757

Larinioides cornutus (Clerck, 1757) *Araneus cornutus*

Larinioides sclopetarius (Clerck, 1757) *Araneus sclopetarius*

Araniella cucurbitina sens. str. (Clerck, 1757) *Araneus cucurbitinus*

Araniella opisthographa (Kulczynski, 1905) *Araneus cucurbitinus opisthographus*

Zygiella x-notata (Clerck, 1757)

Zygiella atrica (C.L.Koch, 1845)

Lycosidae

Pardosa pullata (Clerck, 1757) *Lycosa pullata*

Pardosa amentata (Clerck, 1757) *Lycosa amentata*

Pardosa saltans Topfer-Hofmann, 2000 *Lycosa lugubris*

Alopecosa pulverulenta (Clerck, 1757) *Tarentula pulverulenta*

Trochosa terricola Thorell, 1856

Arctosa perita (Latreille, 1799)

Pisauridae

Pisaura mirabilis (Clerck, 1757)

Dictynidae

Dictyna arundinacea (Linnaeus, 1758)

Dictyna uncinata Thorell, 1856

Amaurobiidae

Amaurobius fenestralis (Stroem, 1768) *Ciniflo fenestralis*

Coelotes atropos (Walckenaer, 1830) *Amaurobius atropos*

Clubionidae

Clubiona reclusa O.P.-Cambridge, 1863

Clubiona stagnatilis Kulczynski, 1897

Clubiona lutescens Westring, 1851

Clubiona comta C.L.Koch, 1839

Clubiona brevipes Blackwall, 1841

Philodromidae

Tibellus oblongus (Walckenaer, 1802)

Thomisidae

Xysticus cristatus (Clerck, 1757)

Xysticus audax (Schrank, 1803)

Salticidae

Salticus scenicus (Clerck, 1757.)

Neon reticulatus (Blackwall, 1853)

Euophrys frontalis (Walckenaer, 1802)